


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Dupl 62 63 1901



Biltmore Nursery

WHOLESALE TRADE - LIST

SEASON OF 1900-1901

THE BILTMORE NURSERY

BILTMORE, NORTH CAROLINA

THE BILTMORE NURSERY

was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue or trade-list was issued. In this, our second published price-list, is offered the surplus stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents, all of our business being transacted from our office at Biltmore, North Carolina.

THE LOCATION

is in the heart of the mountains of Western North Carolina, at an elevation of about two thousand feet above sea level, where the temperature ranges from 90° above to 12° below zero. The variations in temperature peculiar to the Southern Alleghany Region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a

QUALITY OF STOCK

unusually good in root-formation, thriftiness, and hardiness. All our stock is nursery-grown; we do not offer cheap, collected plants.

LANDSCAPE ARCHITECTS

will find our stock particularly suited to the demands of forest, park, and suburban planting.

PROPAGATING CAPACITY

Our greenhouses and coldframes cover an area of 34,000 square feet which, in connection with seed beds of more than ten acres extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings, and transplanted plants.

NURSERYMEN

will find the small plants particularly valuable for transplanting into nursery rows.

FREE FROM INSECTS AND FUNGOUS PESTS

The stock of the Biltmore Nursery has been inspected by the State Entomologist, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.

A CERTIFICATE

of inspection will be sent with each shipment.

PACKING

The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:

BOXES

including packing and delivery to freight or express depots:

14	feet long,	30 x 30	inches							\$3 25	each.
12	"	"	30 x 30	"						3 00	"
10	"	"	30 x 30	"						2 75	"
8	"	"	30 x 30	"						2 50	"
6	"	"	24 x 24	"						1 85	"

BALES

according to size, including delivery to nearest station, 15 cents to \$2.50.

DIRECTIONS FOR SHIPPING

In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.

OUR RESPONSIBILITY

All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery and condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but we give no warranty, expressed or implied, and it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the invoice price of the goods.

RATES

The prices in this list apply to quantities specified, but five hundred will be furnished at the thousand rate, fifty at the hundred rate, and five at the ten rate. Special rates given on very large orders.

TERMS CASH

on or before delivery to forwarding agents, unless by special arrangement.

NOTICE

All orders placed with us will be accepted only upon the condition that, should stock be injured by drought, frost, or other casualties before the shipping season, they are to be void.

CLAIMS

Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay.

PACKING SEASON

We ship from October 1 to May 1, with slight interruptions during midwinter.

FREIGHT RATES

in effect October first, 1900, from Biltmore to several points are here shown.

ROUTE	—PER HUNDRED POUNDS TO—							
	BALTIMORE,		PHILADELPHIA,		NEW YORK,		PROVIDENCE and	
	MD.		PA.		N. Y.		BOSTON.	
	CL	LCL	CL	LCL	CL	LCL	CL	LCL
Rail and Water	37	50	40	55	40	55	45	60
All Rail	42	58	45	63	45	63	50	68

Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

THE BILTMORE NURSERY,

Buncombe County.

Biltmore, North Carolina.

TREES.

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

	Height	Per 10	100	1,000
Abies balsamea , Balsam Fir tr.	1 ft.	\$0 75		
" douglasii . See Pseudotsuga mucronata .				
" fraseri , Fraser's Balsam Fir twice tr.	1 to 1 ft.	75	\$5 50	\$45 00
Acer campestre , English Field Maple . . . twice tr.	2 to 2½ ft.	2 00	15 00	100 00
" " twice tr.	3 to 4 ft.	3 00		
" leucoderme , White-barked Maple tr.	1 ft.	1 50	12 00	
" macrophyllum , Oregon or Broad-leaved Maple twice tr.	1 to 2 ft.	1 50		
" negundo , Ash-leaved Maple tr.	2 to 3 ft.	25	1 75	
" " tr.	3 to 5 ft.	35	3 00	
" " S.	6 to 12 in.		1 00	7 50
" nigrum , Black Sugar Maple tr.	1 to 2 ft.	40	3 50	
" pennsylvanicum , Striped Maple S.	4 to 6 in.	40	3 00	20 00
" " tr.	1 to 3 ft.	2 00	15 00	
" platanoides , Norway Maple twice tr.	2 to 3 ft.	1 50	12 00	
" pseudo-platanus , Sycamore Maple . . twice tr.	4 to 6 ft.	2 50		
" rubrum , Red Maple tr.	1 to 2 ft.	20	1 50	12 00
" " twice tr.	2 to 3 ft.	50		
" saccharinum (<i>A. dasycarpum</i>), Silver Maple . S.	6 to 12 in.	25	1 00	
" " twice tr.	6 to 8 ft.	1 75	15 00	
" " twice tr.	8 to 10 ft.	2 00	17 50	
" saccharum , Sugar Maple tr.	1 ft.	25	2 00	
" spicatum , Mountain Maple S.	6 in.	10	75	5 00
" tataricum , Tartarian Maple tr.	1 ft.	1 00		
" " S.		50	4 00	
Æsculus glabra , Ohio Buckeye tr.	1 ft.	1 00		
" octandra , Sweet or Yellow Buckeye . . tr.	1 to 2 ft.	40	3 00	20 00
" " tr.	2 to 4 ft.	1 50	12 00	100 00
" " tr.	4 to 6 ft.	2 50	22 00	
Amelanchier alnifolia . See Shrubs .				
" botryapium , Shad-bush tr.	3 to 5 ft.	1 75	15 00	
" canadensis , Juneberry or Service-berry tr.	3 ft.	2 00		
Betula lenta , Sweet Birch tr.	1 ft.	1 00		
" lulea , Yellow or Gray Birch tr.	3 ft.	2 00		
" nigra , Red or River Birch twice tr.	2 to 3 ft.	75	5 00	35 00
" occidentalis , Western Red Birch . . twice tr.	4 to 5 ft.	2 00	17 50	
" papyrifera , Paper or Canoe Birch S.	3 to 4 in.	25	1 00	7 50
Biota . See Thuya .				
Carpinus caroliniana , Water Beech tr.	2 to 4 ft.	2 00	17 50	
" " S.	6 to 8 in.	25	2 25	
Carya . See Hicoria .				
Castanea dentata (<i>C. americana</i>), American Sweet Chestnut S.	1 to 2 ft.		1 50	7 50
" " tr.	1 to 2 ft.	50	2 50	15 00
Celtis chinensis , Chinese Hackberry S.	6 to 8 in.	1 00	7 50	
" mississippiensis , Southern Hackberry . . tr.	1 to 1½ ft.	1 00	8 75	
" occidentalis , Hackberry or Sugarberry . . tr.	2 to 3 ft.	1 00	8 75	
Cerasus . See Prunus .				

TREES, continued.

	Height	Per 10	100	1,000
Cercis canadensis , Red-bud or Judas-tree tr.	2 to 3 ft.	\$1 25		
" occidentalis , Western Judas-tree tr.	1 to 2 ft.	1 50	\$12 00	
Chamæcyparis lawsoniana , Lawson's Cypress . . tr.	1 ft.	2 00		
" " twice tr.	3 to 4 ft.	5 00		
" " named varieties . twice tr.	2 to 3 ft.	5 00		
" nootkatensis , Nootka Sound Cypress tr.	1 to 2 ft.	1 50		
" " twice tr.	2 to 3 ft.	2 00		
" obtusata compacta twice tr.	2½ ft.	2 00		
" pisifera filifera (<i>Retinospora</i>) . twice tr.	2 to 3 ft.	2 50		
" " plumosa tr.	1 ft.	2 00		
" thyoides glauca (<i>C. sphæroidea glauca</i>), Southern White Cedar twice tr.	8 ft.	10 00		
Cladrastis lutea , Yellow-wood tr.	2 to 3 ft.	2 00		
Cornus florida , White-flowered Dogwood S.	6 to 12 in.	25	1 75	\$9 00
" " tr.	6 to 12 in.	50	3 50	18 00
For other species, see Shrubs.				
Crataegus collina , Hillside Thorn tr.	1 to 2 ft.	1 00	7 50	
" crus-galli , Cockspur Thorn tr.	2 to 3 ft.	1 00	7 50	50 00
" cordata , Washington Thorn S.	1 ft.	25	2 00	
" punctata , Large-fruited Thorn tr.	2 to 4 ft.	1 00	7 50	50 00
" " S.	1 to 2 ft.	50	4 00	
" spatulata , Small-fruited Haw tr.	6 to 12 in.	1 00	7 50	50 00
" tomentosa , Pear Haw tr.	2 to 4 ft.	1 00	7 50	
Diospyros virginiana , Persimmon tr.	3 to 6 ft.	1 00	5 00	35 00
Fraxinus americana , American White Ash . . . tr.	2 to 3 ft.	40	3 25	30 00
" " tr.	3 to 6 ft.	50	4 00	35 00
" lanceolata (<i>F. viridis</i>), Green Ash . . tr.	3 to 4 ft.	40	3 25	30 00
" " tr.	4 to 6 ft.	50	4 00	35 00
" longicuspis , Pointed-leaved Japanese Ash tr.	5 to 7 ft.	3 25		
" nigra , Black Ash tr.	1 ft.	25	2 00	18 00
" " tr.	2 to 3 ft.	50	3 00	
" pennsylvanica (<i>F. pubescens</i>), Red Ash . tr.	4 to 6 ft.	1 00	7 50	60 00
" " S.	6 to 12 in.	40	3 00	20 00
Ginkgo biloba , Maidenhair Tree S.	6 to 12 in.	1 00	5 00	40 00
Gleditsia aquatica , Water Locust tr.	1 to 1½ ft.	50	2 00	15 00
" triacanthos , Honey Locust tr.	3 to 5 ft.	50	3 50	
Gymnocladus dioica (<i>G. canadensis</i>), Kentucky Coffee Tree tr.	4 to 5 ft.	1 50	12 00	
" " tr.	2 to 4 ft.	1 00	8 50	
Halesia. See Mohrodendron.				
Hicoria alba (<i>Carya tomentosa</i>), White-heart Hickory S.	6 to 12 in.	25	1 50	10 00
" " tr.	1 to 2 ft.	50	2 50	20 00
" aquatica (<i>C. aquatica</i>), Water Hickory . S.	1 ft.	1 00	7 75	
" glabra (<i>C. porcina</i>), Pignut tr.	1 to 2 ft.	50	2 50	20 00
" laciniosa (<i>C. sulcata</i>), Big Shag-bark Hickory tr.	1 to 2 ft.	50	2 50	
" microcarpa (<i>C. microcarpa</i>), Small-fruited Hickory S.	1 ft.	25	1 50	10 00
" minima (<i>C. amara</i>), Bitternut S.	1 to 2 ft.	25	1 50	10 00
" ovata (<i>C. alba</i>), Shellbark tr.	1 to 1½ ft.	50	2 50	20 00
" villosa , Woolly Pignut S.	6 to 8 in.	50	2 50	
Ilex opaca , American Holly tr.	1 to 2 ft.	2 00	15 00	
For other species, see Shrubs.				

TREES, continued.

	Height	Per 10	100	1,000
Juglans cinerea , Butternut tr.	3 to 4 ft.	\$0 75	\$5 00	
" " tr.	5 to 7 ft.	1 00	8 50	
" " tr.	10 to 15 ft.	2 00	17 50	
" nigra , Black Walnut tr.	2 to 3 ft.	50	4 00	\$30 00
" " tr.	3 to 4 ft.	75	5 00	40 00
" " tr.	4 to 6 ft.	1 00	7 00	60 00
Juniperus virginiana , Red Cedar tr.	1 to 2 ft.	1 00	8 00	
For other species, see Shrubs.				
Koeleria paniculata tr.	3 to 4 ft.	75	5 50	
" " twice tr.	7 to 8 ft.	1 50		
Larix leptolepis , Japanese Larch tr.	7 ft.	2 50		
Libocedrus decurrens , Post Cedar tr.	1 ft.	1 00	7 50	
" " tr.	2 to 3 ft.	2 00	17 00	
Liquidambar styraciflua , Sweet Gum tr.	1 to 2 ft.	1 50	10 00	
Liriodendron tulipifera , Tulip-tree twice tr.	6 to 8 ft.	2 00	15 00	120 00
" " thrice tr.	9 to 12 ft.	5 00	45 00	
Magnolia acuminata , Cucumber-tree tr.	6 to 12 in.	1 00	7 50	
" conspicua cyathiformis , Yulan tr.	2 to 3 ft.	4 50		
" foetida (<i>M. grandiflora</i>), Southern Mag- nolia pots	2½ ft.	4 00		
" fraseri , Mountain Magnolia tr.	2 to 3 ft.	2 00	15 00	
" " twice tr.	4 to 6 ft.	4 00	30 00	
" " twice tr.	6 to 8 ft.	5 00	40 00	
" hypoleuca , Pale-leaved Magnolia tr.	3 to 4 ft.	5 00		
" kobus , Japanese Magnolia tr.	4 to 6 ft.	4 00		
" " tr.	6 to 8 ft.	5 00	40 00	
" obovata , Chinese Magnolia tr.	3 to 4 ft.	2 50	20 00	
" " discolor tr.	2 to 3 ft.	2 00	15 00	
" " unicolor tr.	3 ft.	2 00	15 00	
" " gracilis tr.	2 to 3 ft.	2 00	15 00	
Malus . See Pyrus .				
Melia Azederach , China Tree tr.	5 to 6 ft.	1 00		
Mohrodendron carolinum (<i>Halesia tetraptera</i>), Silver Bell tr.	2 to 4 ft.	50	4 00	35 00
" " tr.	4 to 6 ft.	1 00	7 50	50 00
Negundo . See Acer negundo .				
Nyssa sylvatica , Black or Sour Gum tr.	1 ft.	25	2 00	
Ostrya virginiana , Ironwood tr.	3 to 5 ft.	1 50	12 50	
Oxydendrum arboreum , Sourwood tr.	2 to 4 ft.	2 00	12 00	65 00
Picea canadensis (<i>P. alba</i>), White Spruce tr.	1½ to 3 ft.	1 00	7 50	60 00
" excelsa , Norway Spruce twice tr.	5 to 6 ft.	6 00		
" mariana , Black Spruce tr.	1 to 1½ ft.	1 00		
" parryana (<i>P. pungens</i>), Rocky Mountain Spruce twice tr.	1 to 2 ft.	2 50		
Pinus excelsa , Himalayan Pine tr.	1 ft.	2 00	15 00	
" laricio tr.	1 ft.	1 00		
" massoniana , Indian Pine twice tr.	2 ft.	2 50		
" murrayana , Tamarack Pine tr.	1 ft.	2 00		
" ponderosa , Western Yellow Pine tr.	1 to 2 ft.	2 00		
" strobus , White Pine twice tr.	1 to 2 ft.	1 00	6 50	
" thunbergi , Thunberg's Pine tr.	1 to 2 ft.	2 00		
Platanus occidentalis , American Plane tr.	1½ to 3 ft.	1 00	7 50	50 00
Pedocarpus alpina , Tasmanian Yew 4-in. pots	1 ft.	3 00		
" japonica , Japanese Yew 4-in. pots	2 ft.	3 00		
Populus balsamifera , Balsam Poplar tr.	2 to 4 ft.	1 00	7 50	
" " twice tr.	5 to 6 ft.	1 50	12 00	
" " twice tr.	6 to 8 ft.	1 75	15 00	

TREES, continued.

	Height	Per 10	100	1,000
Populus balsamifera , Balsam Poplar twice tr.	8 to 10 ft.	\$2 00	\$18 50	
“ deltoides , Caroline Poplar or Cottonwood twice tr.	8 to 10 ft.	1 50	12 00	
“ “ twice tr.	10 to 12 ft.	1 75	15 00	
“ simoni , Chinese Poplar twice tr.	3 to 5 ft.	1 50		
“ “ twice tr.	10 to 15 ft.	2 50		
Prunus americana , Wild Yellow, or Red Plum . . S.	1 ft.	50	4 00	
“ emarginatus tr.	2 ft.	2 00		
“ pennsylvanica , Wild Red Cherry tr.	2 to 4 ft.	1 00	7 50	
“ serotina , Wild Black Cherry S.	8 to 12 in.	25	1 75	\$12 50
“ “ tr.	4 to 5 ft.	1 25	8 00	60 00
For other species see Shrubs.				
Pseudotsuga mucronata (<i>Abies douglasii</i>), Douglas Spruce tr.	1½ to 2 ft.	3 00		
Pyrus angustifolia , Crab Apple S.	1 to 2 ft.	1 00	7 50	
“ “ tr.	2 to 3 ft.	2 00	15 00	
“ arbutifolia . See Aronia , under Shrubs .				
“ baccata , Small-fruited Crab tr.	1½ to 3 ft.	2 00	15 00	
“ betulifolia , Birch-leaved Pear tr.	2 to 3 ft.	2 00	15 00	
“ coronaria , Sweet-scented Crab tr.	2 to 3 ft.	2 00	15 00	
“ japonica . See Shrubs .				
“ nigra . See Aronia , under Shrubs .				
“ sinensis . See Shrubs .				
Quercus alba , White Oak S.	1 to 2 ft.		1 50	5 00
“ “ tr.	2 to 3 ft.	1 00	7 50	50 00
“ cerris , Turkey Oak S.	1 ft.	1 00	7 50	
“ coccinea , Scarlet Oak S.	1 to 2 ft.		1 50	5 00
“ “ tr.	3 to 4 ft.	3 50		
“ dentata , Japanese Oak tr.	3 to 5 ft.	4 50		
“ digitata (<i>Q. falcata</i>), Spanish Oak . . . S.	1 to 2 ft.		2 00	7 50
“ lyrata , Swamp, Overcup, or Post Oak . . S.	6 to 12 in.		2 50	10 00
“ macrocarpa , Mossy-cup Oak tr.	3 to 4 ft.	1 00	8 50	
“ michauxii , Cow Oak or Basket Oak . . . S.	1 ft.	1 00		
“ minor (<i>Q. stellata</i>), Post or Iron Oak . . tr.	1 to 2 ft.	75	5 00	
“ “ S.	1 to 2 ft.		2 00	7 50
“ prinoides , Scrub Chestnut Oak tr.	1 to 2 ft.	1 00		
“ prinus , Chestnut Oak S.	1 to 2 ft.		1 50	5 00
“ rubra , Red Oak S.	2 to 3 ft.		1 50	5 00
“ “ tr.	1 to 2 ft.	75	4 00	27 00
“ “ tr.	2 to 3 ft.	1 00	5 00	35 00
“ serrata tr.	3 ft.	4 50		
“ texana , Texan Red Oak tr.	1 to 2 ft.	1 00	5 00	35 00
“ velutina (<i>Q. tinctoria</i>), Black Oak . . . S.	1 to 2 ft.		1 50	5 00
Rhododendron . See Shrubs .				
Salix nigra , Black Willow tr.	2 to 3 ft.	50	3 50	25 00
For other species see Shrubs.				
Taxus cuspidata twice tr.	1 ft.	2 00	17 50	
Thuja occidentalis , American Arbor-vitæ . . twice tr.	4 to 6 ft.	2 00	17 50	
“ “ aureo-maculata twice tr.	3 to 4 ft.	2 50		
“ “ fastigiata (<i>T. pyramidalis</i>) twice tr.	5 to 6 ft.	2 50		
“ “ filicoides twice tr.	2 to 4 ft.	2 50		
“ “ globosa twice tr.	2 to 3 ft.	2 50		
“ “ hoopesii twice tr.	2 to 3 ft.	2 50		
“ “ hudsonica twice tr.	2 ft.	2 50		
“ “ intermedia twice tr.	2 to 3 ft.	2 50		
“ “ reidi twice tr.	2½ ft.	2 50		

TREES, continued.

	Height	Per 10	100	1,000
Thuja orientalis twice tr.	3 to 4 ft.	\$2 50		
“ “ compacta twice tr.	2 to 4 ft.	2 50		
“ “ connica twice tr.	4 ft.	2 50		
“ “ densa glauca twice tr.	2 to 3 ft.	2 50		
Tilia americana , American Linden tr.	2 to 3 ft.		\$3 50	\$25 00
“ “ twice tr.	6 to 10 ft.	2 00	16 00	
“ heterophylla , White Basswood tr.	1 ft.	1 00	8 75	
Ulmus americana , American or White Elm tr.	2 to 3 ft.	75	6 75	
“ “ twice tr.	4 to 5 ft.	1 00	8 50	
“ “ twice tr.	6 to 8 ft.	1 50	12 50	
“ serotina , Late-flowering Elm twice tr.	2 to 3 ft.	7 50		
Xanthoxylum americanum , Prickly Ash tr.	1 to 2 ft.	75		

SHRUBS.

“S” signifies seedlings not transplanted; “tr.” signifies stock has been transplanted.

	Height	Per 10	100	1,000
Abelia chinensis (<i>A. rupestris</i>), Chinese				
Abelia 4-in. pots	1 ft.	\$1 00	\$7 50	\$50 00
Adelia acuminata (<i>Forestiera acuminata</i>), Pointed-leaved Adelia tr.	2 to 3 ft.	50	4 00	30 00
“ “ tr.	3 to 4 ft.	60	4 50	35 00
“ “ tr.	4 to 5 ft.	75	5 00	40 00
“ ligustrina (<i>Forestiera ligustrina</i>), Privet-leaved Adelia tr.	3 ft.	50	4 00	
Althæa . See Hibiscus .				
Amelanchier alnifolia , Alder-leaved Service-berry tr.	1 ft.	1 25		
“ botryapium . See Trees .				
“ canadensis . See Trees .				
Amorpha fruticosa , False Indigo tr.	2 to 3 ft.	50	4 00	30 00
“ herbacea , Dwarf Indigo tr.	1 ft.	1 00		
“ virgata , Mountain Indigo S.	6 to 12 in.	25	2 00	
“ “ tr.	2 to 3 ft.	50	4 00	30 00
Andromeda ligustrina . See Xolisma ligustrina .				
“ nitida . See Pieris nitida .				
Aralia chinensis , Hercules' Club tr.	3 to 6 ft.	2 00		
Arctostaphylos uva-ursi , Bearberry 4-in. pots	6 to 12 in.	1 00	7 50	
Aronia arbutifolia (<i>Pyrus arbutifolia</i>) Choke Berry tr.	2 ft.	75	4 00	
“ nigra (<i>Pyrus nigra</i>), Black Choke Berry . tr.	2 ft.	75	5 00	
Azalea arborescens , Tree Azalea pots	6 to 8 in.	75	4 00	30 00
“ nudiflora , Pinkster-flower pots	6 to 8 in.	75	4 00	
“ viscosa , Swamp Pink or Honeysuckle . . pots	6 to 8 in.	75	4 00	
Baccharis halimifolia , Groundsel-bush or Pencil-tree tr.	2 ft.	75	5 00	40 00
Benzoin benzoin (<i>Lindera benzoin</i>), Spice-bush . tr.	1 to 2 ft.	75	5 00	
Berberis congestiflora , Chilean Barberry . . . tr.	2 ft.	1 50		
“ cretica , Cretan Barberry tr.	1½ ft.	1 00		
“ nepalensis , Nepaulese Mahonia tr.	1 ft.	1 00		
“ newberti (<i>B. aquifolium</i> × <i>vulgaris</i>), Hybrid Barberry tr.	1 ft.	1 00	7 50	
“ repens , Trailing Mahonia tr.	1 to 1½ ft.	1 75	12 00	

SHRUBS, continued.

	Height	Per 10	100	1,000
Berberis sinensis , Chinese Barberry tr.	2 ft.	\$1 00		
" thunbergi , Japanese or Thunberg's Barberry S.	3 to 6 in.		\$1 50	\$8 00
" " tr.	1 to 2 ft.	75	5 00	40 00
Biota . See Thuya , under Trees .				
Buddleia curviflora , Curved-flowered Buddleia . . tr.	2 to 3 ft.	1 00	7 50	
" lindleyana , Chinese Buddleia tr.	1 ft.	50	4 00	
" " tr.	4 to 5 ft.	1 00		
Bumelia lycioides , Buckthorn tr.	1 ft.	1 00		
Butneria fertilis , (<i>Calycanthus lœvigatus</i>), Smooth Strawberry-shrub tr.	1 to 2 ft.	1 00	7 50	
" " tr.	3 ft.	1 50		
Buxus sempervirens angustifolia , Narrow-leaved Box-tree twice tr.	1 to 1½ ft.	3 50	30 00	
" " arborescens , Tall Box-tree twice tr.	1 to 1½ ft.	3 50		
" " handsworthi , Hands-worth's Box-tree . . twice tr.	1 to 1½ ft.	3 50		
" " macrophylla twice tr.	1 ft.	3 00		
" " navicularis twice tr.	2 to 2½ ft.	4 50		
" " salicifolia , Willow-leaved Box-tree . . twice tr.	1½ to 2 ft.	4 00		
Calamintha caroliniana . See Clinopodium .				
Callicarpa purpurea , Purple-fruited Callicarpa . . tr.	1 to 2 ft.	1 00	6 50	40 00
Calycanthus lœvigatus and glaucus . See Butneria fertilis .				
Calluna vulgaris , Scotch Heather tr.	1 ft.	1 00	7 50	
Caragana arborescens (<i>C. redowskii</i>), Siberian Pea-tree tr.	2 to 3 ft.	1 00	7 50	
" chamlagu , Chinese Caragana tr.	2 to 3 ft.	1 00	7 50	
" frutescens , Shrubby Caragana tr.	2 ft.	1 00		
Caryopteris mastacanthus , Chinese Beardwort . pots	1 ft.	75	5 00	
Cassandra calyculata . See Chamædaphne .				
Cephalanthus occidentalis , Button-bush tr.	1 to 2 ft.	1 00	7 00	
Cerasus . See Prunus .				
Chamædaphne calyculata (<i>Cassandra calyculata</i>), Leather-leaf tr.	1 ft.	1 00	6 00	
Chionanthus virginica , Fringe-tree tr.	1 to 2 ft.	75	7 00	
Cistus ladaniferus , Gum Cistus or Sweet Holly-rose tr.	1½ to 2 ft.	1 00	7 50	
Citrus trifoliata , Hardy Lemon S.	6 to 12 in.	1 00	7 50	
Clethra alnifolia , Sweet Pepper-bush tr.	1 ft.	50	4 00	
Clinopodium carolinianum (<i>Calamintha carolinianum</i>), Large-flowered Thyme tr.	1 ft.	1 50	10 00	
Coletea arborescens , Bladder Senna tr.	3 to 4 ft.	1 00	7 00	
" " tr.	5 to 6 ft.	1 50	10 00	
" cruenta , Oriental Bladder Senna tr.	3 ft.	1 50		
Cornus alternifolia , Alternate-leaved Dogwood . . tr.	2 to 3 ft.	75	6 00	50 00
" " tr.	3 to 4 ft.	1 00	7 50	
" amomum (<i>C. sericea</i>), Silky Dogwood . . S.	8 to 10 in.	25	2 00	10 00
" " tr.	2 to 3 ft.	50	4 00	32 50
" " tr.	4 to 5 ft.	75	5 00	40 00
" circinata , Round-leaved Cornel S.	6 to 10 in.	25	2 00	
" florida . See Trees .				
" officinalis , East Asiatic Dogwood tr.	2 ft.	1 50		
" stolonifera , Red-osier Cornel S.	1 ft.	25	2 00	
" " tr.	2 ft.	1 00		

SHRUBS, continued.

	Height	Per 10	100	1,000
Cornus stricta , Stiff Dogwood tr.	3 to 4 ft.	\$0 75	\$5 00	\$40 00
Coronilla emerus , Scorpion Senna tr.	1½ ft.	1 00	8 00	
Corylus maxima atropurpurea , Purple-leaved Hazel. tr.	3 to 4 ft.	1 50		
Cotoneaster acuminata , Pointed-leaved Cotoneaster tr.				
aster tr.	1 ft.	1 50		
buxifolia (<i>C. hookeriana</i>), Box-leaved Cotoneaster S.				
frigida , Mountain Cotoneaster tr.	6 to 12 in.	75	5 00	
microphylla , Nepaulese Cotoneaster . tr.	1 to 2 ft.	1 00	7 50	
multiflora , Chinese Cotoneaster . . . tr.	1 to 1½ ft.	1 00	7 50	50 00
" tr.	1 to 2 ft.	1 00	7 50	
" tr.	4 to 6 ft.	1 50	10 00	
rotundifolia , Himalayan Cotoneaster . tr.	1 ft.	1 00		
simonsi (<i>C. acutifolia</i>), Shining-leaved Rose Box tr.	1 to 2 ft.	1 00	7 50	
Cratægus . See Trees .				
Cydonia . See Pyrus .				
Cytisus hirsutus , Hairy Cytisus tr.	2 ft.	1 00		
Daphne cneorum , Garland Flower tr.	1 ft.	2 50		
Deutzia crenata , Rough-leaved Deutzia tr.	2 to 3 ft.	75	5 00	30 00
" tr.	3 to 4 ft.	1 00	6 00	35 00
" candidissima tr.	2 to 3 ft.	75	5 00	30 00
" tr.	3 to 4 ft.	1 00	6 00	35 00
" flore roseo-plena tr.	2 ft.	75	5 00	30 00
gracilis , Slender Deutzia tr.	1 ft.	75	2 50	20 00
Diervilla diervilla (<i>D. trifida</i>), Bush Honeysuckle . tr.	1 to 2 ft.	1 00		
rivularis , Gatinger's Bush Honeysuckle . tr.	1 to 2 ft.	1 00	8 00	
sessilifolia , High Bush Honeysuckle . . tr.	2 to 3 ft.	75	4 00	35 00
Elæagnus longipes , Silver Thorn tr.	1 ft.	50	4 00	
" tr.	3 ft.	1 00		
Erica scoparia , Brown Heather pots	6 to 12 in.	1 00	7 50	
tetralix , Cross-leaved Heath pots	6 to 12 in.	1 00	7 50	
vagans , Cornish Heath pots	6 to 12 in.	1 00	7 50	
Euonymus americanus , Strawberry Bush tr.	1 to 2 ft.	50	4 00	30 00
angustifolius , Narrow-leaved Strawberry Bush tr.	2 ft.	50	4 00	
bungeanus , Bunge's Spindle-tree . . . tr.	2 to 3 ft.	1 00		
japonicus , Japanese Euonymus tr.	1 ft.	1 00	7 50	
obovatus , Running Strawberry Bush . . tr.	1 ft.	50	4 00	
radicans , Climbing Euonymus tr.	1 ft.	50	4 00	
sieboldianus , Siebold's Spindle-tree . . tr.	1 to 2 ft.	1 00		
Forestiera . See Adelia .				
Forsythia suspensa , Golden Bell tr.	1 to 1½ ft.	50	4 00	30 00
" tr.	4 to 5 ft.	1 00	5 00	
" tr.	6 to 7 ft.	1 50	10 00	
viridissima , Dark-green Forsythia . . . tr.	3 ft.	1 00	5 00	
Fothergilla carolina , Small Fothergilla tr.	1 ft.	3 50		
major , Large Fothergilla tr.	1 to 1½ ft.	3 50		
Gaylussacia frondosa , Tangle- or Dangle-berry . . tr.	1 ft.	1 00		
Genista præcox , Early Genista tr.	1 to 1½ ft.	1 00		
Grevillea rosmarinifolia , Rosemary Grevillea . . . tr.	1 to 1½ ft.	1 00	8 00	
Hamamelis virginiana , Witch Hazel tr.	1 to 2 ft.	75	6 00	
Hibiscus moscheutos . See Herbaceous Plants .				
syriacus amplissimus , Rose of Sharon or Althæa twice tr.	3 ft.	1 00		
" ardens twice tr.	5 ft.	1 50		
" carnea pl. twice tr.	5 ft.	1 50		
" pompon rogue twice tr.	4 ft.	1 25		

SHRUBS, continued.

	Height	Per 10	100	1,000
Hibiscus syriacus purpurascens pl. twice tr.	4 ft.	\$1 25		
“ “ purpureus novus twice tr.	4 ft.	1 25		
We offer a more extensive list of varieties, our own assortment, fine plants, at corresponding prices.				
Hydrangea arborescens , Wild Hydrangea tr.	2 ft.	75	\$4 00	\$35 00
“ hortensis belzoni , Garden Hydrangea. field-grown, 3 yrs.		1 50		
“ “ Imperatrice Eugenie field-grown, 3 yrs.		1 50		
“ “ japonica field-grown, 3 yrs.		1 50		
“ “ alba field-grown, 3 yrs.		1 50		
“ “ rubra field-grown, 3 yrs.		1 50		
We offer a more extensive list of varieties, our own assortment, fine plants, at the same price.				
Hydrangea paniculata , Panicked Hydrangea . . . tr.	1 to 1½ ft.	1 00	5 00	
“ “ grandiflora , Large-flowered Hydrangea . . . tr.	1 to 1½ ft.	1 00	5 00	
“ quercifolia , Oak-leaved Hydrangea . . . tr.	1 ft.	1 00		
“ radiata , Downy Hydrangea tr.	1 to 2 ft.	75	4 00	35 00
Hypericum ascyron . See Herbaceous Plants , etc.				
“ aureum , Large-flowered St. John's-wort. tr.	1 to 2 ft.	1 00	7 00	
“ calycinum , Aaron's Beard tr.	½ to 1 ft.	25	2 00	15 00
“ densiflorum , Dense-flowered St. John's wort tr.	1 to 2 ft.	50	3 75	25 00
“ “ tr. heavier plants		75	4 50	30 00
“ lobocarpum , Gattinger's St. John's-wort tr.	2 to 3 ft.	1 50	12 50	
“ moserianum , Hybrid St. John's-wort. . tr.	1 ft.	50	3 00	25 00
“ nudiflorum , Naked-flowered St. John's-wort tr.	1½ to 2 ft.	1 00	7 50	50 00
“ prolificum , Shrubby St. John's-wort . . tr.	2 to 3 ft.	75	4 50	30 00
“ sphaerocarpum , Round-podded St. John's-wort tr.	1 ft.	1 00	8 50	
Ilex decidua , Swamp Holly tr.	1 to 1½ ft.	1 00	7 75	
“ laevigata , Smooth Winterberry tr.	2 ft.	1 00	7 75	
“ opaca . See Trees .				
“ verticillata , Black Alder tr.	1 to 2 ft.	75	5 00	
“ “ tr.	2 to 3 ft.	1 00	7 50	
Itea virginica , Virginia Willow tr.	1 to 2 ft.	60	4 00	35 00
“ “ tr.	2 to 3 ft.	75	5 00	40 00
Jasminum nudiflorum , Naked-flowered Jasmine. . tr.	1 to 2 ft.	50	3 50	25 00
“ “ tr.	2 to 3 ft.	75	5 00	35 00
Juniperus chinensis , Chinese Juniper tr.	1 to 2 ft.	2 50		
“ communis , Common Juniper tr.	1 to 2 ft.	1 25	10 00	
“ “ form from China tr.	5 ft.	3 00		
“ nana (<i>J. communis alpina</i>), Prostrate Juniper tr.	1 ft.	1 00	8 50	
“ recurva densa twice tr.	2½ ft.	2 50		
“ sabina , Savin Juniper tr.	2 to 3 ft.	1 50	12 00	
“ sphaerica , Globular-fruited Juniper . . . tr.	2 to 3 ft.	4 00		
“ “ glauca tr.	2 ft.	4 00		
“ virginiana . See Trees .				
Kalmia cuneata , Deciduous Laurel. tr.	1 ft.	5 00		
Ledum groenlandicum , Labrador Tea. tr.	1 ft.	1 00		
Leucothoe acuminata , Titi or Pipewood tr.	1½ to 3 ft.	1 00	7 50	
“ catesbaei , Catesby's Leucothoe pots	12 to 18 in.	50	4 00	25 00
“ racemosa , Swamp Leucothoe tr.	12 to 18 in.	75	5 00	40 00
“ “ tr.	2 ft.	1 00	7 50	50 00

SHRUBS, continued.

	Height	Per 10	100	1,000
Ligustrum ibota (<i>L. amurense</i>), Amoor Privet. . . . tr.	1 to 2 ft.	\$0 25	\$1 75	\$15 00
“ japonicum , Japanese Privet tr.	1 to 2 ft.	50	4 00	
“ lucidum , Shining-leaved Privet. . . . tr.	6 to 12 in.	50	4 00	
“ media tr.	1 to 2 ft.	50	4 00	
“ ovalifolium , California Privet. . . . tr.	1 to 2 ft.	50	2 00	15 00
“ “ tr.	2 to 3 ft.	75	3 00	17 50
“ quihoui tr.	3 ft.	1 00	4 00	25 00
“ regelianum S.	6 to 12 in.	1 00	6 00	
“ “ tr.	2 ft.	1 50		
“ sinense , Chinese Privet. tr.	2 to 3 ft.	50	2 00	15 00
“ “ tr.	4 to 5 ft.	75	3 50	30 00
Lindera. See Benzoin .				
Lonicera fragrantissima , Bush Honeysuckle . . . tr.	1 to 2 ft.	75	4 00	30 00
“ involucrata , Involucrated Fly-Honeysuckle. tr.	1 to 3 ft.	1 00		
“ orientalis , Oriental Honeysuckle tr.	1 ft.	75	5 00	
“ xylostium , Fly-Honeysuckle tr.	1 ft.	75		
For other species, see Vines.				
Neviusa alabamensis , Nevins' Fringe-bush . . . tr.	3 to 4 ft.	1 00	7 50	60 00
“ “ tr.	4 to 6 ft.	1 50	10 00	75 00
Opulaster opulifolius (<i>Neillia</i> , or <i>Spiræa opulifolia</i>), Nine Bark tr.	1 to 2 ft.	50	4 00	28 00
“ “ tr.	2 to 3 ft.	75	5 00	35 00
Phellodendron amurense tr.	2 to 3 ft.	1 00	8 75	
Philadelphus grandiflorus , Large-flowered Syringa. tr.	1 to 2 ft.	35	3 00	28 00
“ “ tr.	2 to 3 ft.	50	4 00	35 00
“ hirsutus , Hairy Syringa tr.	2 to 3 ft.	50	4 00	35 00
“ “ tr.	3 to 5 ft.	75	5 00	40 00
“ inodorus , Scentless Syringa tr.	1 to 2 ft.	35	3 00	28 00
“ “ tr.	2 to 3 ft.	50	4 00	35 00
“ latifolius , Broad-leaved Syringa . . . tr.	2 to 4 ft.	1 00		
“ lewisi , Western Syringa tr.	2 to 3 ft.	1 00	7 50	
Phillyrea angustifolia tr.	1 to 2 ft.	1 00	5 00	
“ vilmoriniana 4-in. pots	18 in.	1 00		
Pieris nitida (<i>Andromeda nitida</i>), Fetter-bush. 4-in. pots	1 to 2 ft.	1 50	10 00	
Potentilla fruticosa , Shrubby Cinquefoil. . . . tr.	1 to 1 ½ ft.	75	6 00	45 00
“ tridentata . See Herbaceous Plants , etc.				
Prunus mume , Japanese Flowering Plum tr.	2 to 3 ft.	1 00		
“ tomentosa , Woolly Plum tr.	3 to 4 ft.	1 50		
“ virginiana , Choke Cherry tr.	1 to 2 ft.	50	4 00	
For other species see Trees.				
Pyrus arbutifolia . See Aronia .				
“ japonica (<i>Cydonia japonica</i>), Japanese Quince tr.	2 to 3 ft.	1 00		
“ nigra . See Aronia .				
“ sinensis , Chinese Pear tr.	2 ft.	1 00		
For other species see Trees.				
Rhamnus frangula , Alder Buckthorn S.	1 to 2 ft.	75	5 00	
“ japonica , Japanese Buckthorn tr.	2 to 3 ft.	1 00	8 50	
Rhododendron catawbiense , Mountain Rose Bay. tr.	1 ½ to 3 ft.	2 50	20 00	
“ maximum , Great Laurel tr.	1 ½ to 3 ft.	2 50	20 00	
Rhodotypos kerroides , White Kerria tr.	1 to 2 ft.	50	4 00	35 00
Rhus copallina , Upland Sumac tr.	2 to 4 ft.	75	5 00	
“ glabra , Smooth Sumac tr.	2 to 3 ft.	75	5 00	
“ hirta , Staghorn Sumac tr.	3 to 4 ft.	75	5 00	
“ “ tr.	4 to 6 ft.	1 00	6 50	
“ michauxi , Dwarf Sumac tr.	1 to 2 ft.	5 00		

SHRUBS, continued.

	Height	Per 10	100	1,000
<i>Ribes curvatum</i> , Small's Gooseberry tr.	2 to 3 ft.	\$2 50		
" <i>cynosbati</i> , Wild Gooseberry or Dogberry . . tr.	1 to 2 ft.	1 00		
<i>Rosa acicularis</i> , Prickly Rose tr.	1 to 2 ft.	1 00		
" <i>arvensis</i> tr.	2 ft.	1 00		
" <i>blanda</i> , Meadow Rose tr.	3 ft.	1 00		
" " S.	6 to 12 in.		\$2 00	\$10 00
" <i>bracteata</i> tr.	1 to 2 ft.	1 00	8 50	
" <i>californica</i> , California Wild Rose S.	6 to 12 in.	1 00		
" <i>carolina</i> , Swamp Rose tr.	2 ft.	50	4 00	30 00
" <i>humilis</i> , Low or Pasture Rose tr.	1 to 2 ft.	50	4 50	35 00
" <i>multiflora</i> , Japanese Climbing Rose . . . tr.	1 to 2 ft.	50	4 00	30 00
" <i>repens</i> , European Field Rose tr.	1 to 2 ft.	1 00		
" <i>rugosa alba</i> tr.	1 ft.	1 00		
" " <i>rubra</i> tr.	1½ ft.	1 00		
" <i>setigera</i> , Prairie Rose tr.	1 to 2 ft.	1 00	7 00	
" <i>watsoni</i> tr.	1 to 2 ft.	1 00	8 50	
" <i>wichuraiana</i> , Chinese Trailing Rose . . . tr.	6 to 12 in.	50	3 00	20 00
" " tr.	1 to 2 ft.	1 00	4 00	27 50
<i>Rubus crataegifolius</i> , Hawthorn-leaved Raspberry . tr.	2 to 3 ft.	1 00	7 50	
" <i>leucodermis</i> , Western Raspberry tr.	3 ft.	1 00		
" <i>millspaughii</i> , Millspaugh's Blackberry . . tr.	2 to 4 ft.	1 00		
" <i>parviflorus</i> (<i>R. nutkanus</i>), Salmon-berry . tr.	1 to 2 ft.	1 00	7 50	
" <i>strigosus</i> , Wild Red Raspberry tr.	2 to 3 ft.	75	5 00	
<i>Salix humilis</i> , Prairie Willow tr.	2 ft.	1 00		
" <i>irrorata</i> , Colorado Blue Willow tr.	4 to 5 ft.	1 00	7 50	
" <i>nigra</i> . See Trees .				
" <i>sericea</i> , Silky Willow tr.	2 to 3 ft.	50	3 00	20 00
" " tr.	3 to 4 ft.	75	4 00	25 00
" " tr.	4 to 6 ft.	1 00	5 00	30 00
" <i>tristis</i> , Sage Willow tr.	1 to 1½ ft.	1 00		
<i>Sambucus canadensis</i> , Sweet Elder tr.	1 to 2 ft.	1 00	5 00	30 00
<i>Sassafras sassafras</i> (<i>S. officinale</i>), Sassafras . tr.	1 ft.	1 00		
<i>Spartium junceum</i> , Spanish Broom tr.	1 to 2 ft.	1 00	7 50	
<i>Spiraea alba</i> tr.	3 to 5 ft.	1 00	4 00	25 00
" <i>arguta</i> tr.	2 ft.	1 00	5 00	
" <i>douglasii</i> tr.	2 to 3 ft.	1 00	5 00	
" " tr.	3 to 4 ft.	1 25	6 00	
" <i>japonica</i> tr.	1 to 2 ft.	1 00	5 00	35 00
" " tr.	2 to 3 ft.	1 25	6 00	40 00
" " <i>macrophylla</i> tr.	4 ft.	1 25	6 00	
" <i>latifolia</i> tr.	2 to 3 ft.	1 00	5 00	
" " tr.	3 to 4 ft.	1 25	6 00	
" <i>margaritæ</i> tr.	4 ft.	1 25	6 00	
" <i>menziesii</i> tr.	2 ft.	1 25	6 00	
" <i>opulifolia</i> . See Opulaster .				
" <i>picouviensis</i> tr.	2 to 3 ft.	1 25	6 00	
" <i>salicifolia</i> , Meadow Sweet tr.	3 to 5 ft.	1 00	4 00	25 00
" <i>thunbergii</i> tr.	1 ft.	75	4 00	30 00
" " tr.	1½ to 2 ft.	1 00	5 00	40 00
" <i>tomentosa</i> , Hardhack or Steeple-bush . tr.	1 to 2 ft.	75	4 00	30 00
<i>Staphylea bumalda</i> , Japanese Bladder-nut . . tr.	2 to 3 ft.	1 00		
" <i>trifolia</i> , Bladder-nut tr.	1 to 2 ft.	75	4 00	
<i>Stephanandra flexuosa</i> tr.	1½ to 2 ft.	1 00	6 00	40 00
<i>Stuartia monodelpha</i> tr.	1 to 2 ft.	2 00		
" <i>pentagyna</i> , Alleghany Mountain Stuartia . tr.	1 to 1½ ft.	2 00		
<i>Styrax americana</i> , Styrax tr.	1 to 2 ft.	1 00	7 50	
" <i>hispida</i> tr.	3 ft.	1 75		

SHRUBS, continued.

	Height	Per 10	100	1,000
Styrax japonica tr.	1 to 2 ft.	\$1 00	\$6 00	
“ obassia tr.	2 to 3 ft.	1 75		
Symphoricarpus occidentalis , Wolfberry tr.	1 to 2 ft.	75		
“ “ tr.	2 to 3 ft.	1 00		
“ racemosus , Snowberry tr.	2 ft.	1 00	\$6 00	
“ symphoricarpus (<i>S. vulgaris</i>), Coral-berry . tr.	2 ft.	50	3 00	25 00
“ “ tr.	½ to 1 ft.	35	2 00	17 50
Syringa chinensis , Chinese Lilac tr.	5 ft.	1 00		
“ josikæa tr.	1 to 2 ft.	1 00	7 50	
“ persica alba tr.	1 ft.	75		
Vaccinium tenellum , Black Huckleberry tr.	1 ft.	1 50		
“ vaccillans , Low Blueberry tr.	1 ft.	1 00		
“ virgatum , Southern Black Huckle- berry pots	1 ft.	1 00	7 50	
Viburnum dentatum , Arrow-wood tr.	1 to 2 ft.	1 00	7 50	60 00
“ “ tr.	2 to 3 ft.	1 25	10 00	75 00
“ lentago , Sheepberry tr.	1 to 2 ft.	1 00	7 50	
“ opulus , Highbush Cranberry tr.	1 to 2 ft.	1 00	7 50	
“ “ sterile , Snowball tr.	3 ft.	1 00		
“ prunifolium , Black Haw tr.	1 to 2 ft.	1 00		
“ rufotomentosum , Southern Black Haw . tr.	1 to 2 ft.	2 00		
Vinca major , Large Periwinkle tr.		25	1 50	10 00
“ minor , Periwinkle tr.		25	1 50	7 50
Xanthorrhiza apiifolia , Yellow-root fine tr.	1 ft.	50	3 00	25 00
“ “	6 to 8 in.	35	2 50	20 00
Xolisma ligustrina (<i>Andromeda ligustrina</i>), Privet Andromeda tr.	1 ft.	1 00	7 50	

VINES.

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

	Height	Per 10	100	1,000
Akebia quinata , Five-leaved Akebia tr.	1 to 2 ft.	\$0 65	\$4 75	\$37 50
Ampelopsis heterophylla , Asiatic Creeper tr.	2 to 3 ft.	1 00		
" quinquefolia . See Parthenocissus .				
" veitchi . See Parthenocissus .				
Berchemia racemosa , Asiatic Supple Jack . strong, tr.	4 ft.	1 00	7 50	
" scandens , Supple Jack strong, tr.	4 ft.	1 00	7 50	
Bignonia crucigera , Cross-vine tr.	1 to 3 ft.	1 00		
" radicans . See Tecoma .				
Brunnichia cirrhosa , Brunnichia tr.		1 00	8 50	
Celastrus articulatus , Japanese Staff Vine S.	1 to 2 ft.	1 00		
" paniculatus S.	1 ft.	1 00	8 50	
Clematis apiifolia , Parsley-leaved Clematis tr.	1 to 2 ft.	1 00	7 50	
Decumaria barbara , Decumaria tr.	1 ft.	1 00		
Gelsemium sempervirens , Yellow Jessamine . . . tr.	2 to 3 ft.	75	6 75	
" " 4-inch pots	6 in.	50	4 50	
Hedera helix , English Ivy 4-inch pots	1 to 1½ ft.	1 00	7 50	65 00
Kraunhia chinensis (<i>Wistaria chinensis</i>), Chinese				
" " <i>Wistaria</i> tr.	3 to 4 ft.	1 00	8 00	
" " tr.	2 to 3 ft.	75	6 00	
" " tr.	1 to 2 ft.	50	4 00	
" frutescens (<i>W. frutescens</i>), American				
<i>Wistaria</i> tr.	2 to 3 ft.	75		
Lonicera dioica (<i>L. glauca</i>), Smooth-leaved Honey-				
suckle tr.	1 to 2 ft.	1 00	7 50	
" japonica , Japanese Honeysuckle tr.	1 to 2 ft.	35	2 00	16 50
" " chinensis , Purple Honeysuckle tr.	1 to 2 ft.	75	5 00	
" sempervirens , Trumpet or Coral Honey-				
suckle tr.	1 to 2 ft.	1 00	7 50	60 00
For other species, see Shrubs.				
Parthenocissus quinquefolia (<i>Ampelopsis quin-</i>				
<i>quefolia</i>), Virginia Creeper . . tr.	1 to 3 ft.	35	2 00	10 00
" tricuspidata (<i>Ampelopsis veitchi</i>),				
Boston or Japanese Ivy				
. 2 years, 4-inch pots	1 ft.	50	2 50	22 00
Periploca græca , Silk Vine very strong, tr.	4 to 5 ft.	2 00	15 00	
" " tr.	1 to 2 ft.	1 00	7 50	
Smilax bona-nox , Bristly Greenbrier S.	1 ft.	1 00	7 50	60 00
" " tr.	2 to 4 ft.	2 00	18 00	
" hispida , Hispid Greenbrier S.	1 ft.	1 00	7 50	60 00
" " tr.	1 to 2 ft.	1 50	10 00	
" " tr.	2 to 3 ft.	2 00	15 00	
" rotundifolia , Catbrier tr.	1 to 3 ft.	75	6 00	
Tecoma radicans (<i>Bignonia radicans</i>), Trumpet				
Flower tr.	2 to 4 ft.	75		
Vitis æstivalis , Summer Grape tr.	2 ft.	75	5 00	
" cordifolia , Frost Grape tr.	2 to 3 ft.	75	5 00	
" labrusca , Fox Grape tr.	1 to 3 ft.	50	4 00	20 00
Wistaria . See Kraunhia .				

Herbaceous Plants, Grasses and Bamboos.

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

	Per 10	100	1,000
<i>Achillea millefolium</i> , Yarrow field-grown	\$0 35	\$2 50	\$15 00
<i>Adiantum pedatum</i> , Maidenhair Fern field-grown	50	4 00	30 00
<i>Agave virginica</i> , False Aloe field-grown	2 00		
<i>Ajuga reptans</i> , Bugle field-grown	25	2 00	
<i>Anchusa angustifolia</i> , Purple-flowered Narrow-leaved Bugloss field-grown	1 00		
<i>Arundinaria japonica</i> (<i>Bambusa metake</i>), Japanese Cane strong clumps	3 50	30 00	200 00
" <i>macrosperma</i> , Large American Cane strong clumps	2 75	20 00	150 00
" <i>tecta</i> , Small American Cane strong clumps	2 75	20 00	150 00
<i>Arundo donax</i> , Great Reed strong clumps	1 00	7 50	45 00
" " extra heavy clumps	2 00	15 00	100 00
<i>Asarum macranthum</i> , Large-flowered Asarum field-grown	50	4 00	
<i>Aster novæ-angliæ</i> , New England Aster field-grown	1 00		
Bamboos. See <i>Bambusa</i>, <i>Arundinaria</i> and <i>Phyllostachys</i>.			
<i>Bambusa palmata</i> , Veiny-leaved Bamboo . heavy clumps, each, 65c.			
" <i>pygmæa</i> , Dwarf Bamboo heavy clumps, each, 25c.			
" <i>tessellata</i> , Large-leaved Bamboo . heavy clumps, each, 75c.			
<i>Bocconia cordata</i> , Japanese Bocconia nice roots, 4-in. pots	1 00	7 50	
" " field-grown	1 50	10 00	
<i>Carex fraseri</i> , Fraser's Sedge field-grown	1 00		
<i>Castalia tuberosa</i> (<i>Nymphæa tuberosa</i>), White Water Lily strong roots	2 50		
<i>Ceratostigma plumbaginoides</i> (<i>Plumbago larpenæ</i>), Leadwort field-grown	50	4 00	
<i>Convallaria majalis</i> , Lily-of-the-Valley field-grown	50	3 00	25 00
<i>Coreopsis auriculata</i> , Running Tickseed field-grown	35	3 00	
<i>Elymus glaucus</i> , Smooth Wild Rye field-grown	1 00	7 50	
<i>Erythronium americanum</i> , Yellow Adder's Tongue . nursery-grown	50	3 50	
Eulalia. See <i>Miscanthus</i>.			
<i>Galium verum</i> , Yellow Bedstraw field-grown	1 00		
<i>Gemmingia chinensis</i> (<i>Belamcanda chinensis</i>), Black-berry Lily field-grown	25	2 00	15 00
<i>Helianthus atrorubens</i> , Purple-disk Sunflower field-grown	1 00	5 00	40 00
" <i>dowellianus</i> , Dowell's Sunflower field-grown	1 00	5 00	40 00
<i>Hemerocallis dumortieri</i> , Dwarf Day Lily strong clumps	1 00	8 00	
" <i>fulva</i> , Day Lily field-grown	25	1 50	
" " strong clumps	35	2 50	
" <i>thunbergi</i> , Late-flowering Day Lily . . . field-grown	1 00		
<i>Nepatica acuta</i> (<i>H. acutiloba</i>), Heart Liver-leaf . . . field-grown	25	1 50	
<i>Heuchera villosa</i> , Hairy Heuchera field-grown	1 00		
<i>Hibiscus moscheutos</i> , Swamp Rose-mallow field-grown	1 00	7 50	
For other species, see Shrubs.			
<i>Hypericum ascyron</i> , Giant St. John's-wort clumps	1 00		
For other species, see shrubs.			
<i>Inula helenium</i> , Elecampane strong field-grown	1 00	7 50	

HERBACEOUS PLANTS, GRASSES, ETC., continued.

	Per 10	100	1,000
Iris cristata , Crested Dwarf Iris field-grown	\$0 25	\$1 50	\$12 50
“ germanica , Fleur-de-lis field-grown	35	2 50	20 00
“ strong clumps	1 00	7 50	
“ lævigata (<i>I. kœmpferi</i>), Japanese Iris field-grown	35	3 00	22 50
“ stronger plants	50	4 00	
“ missouriensis , Western Blue Flag field-grown	1 00		
“ verna , Dwarf Iris field-grown	35	3 00	20 00
Lilium carolinianum , Carolina Lily field-grown	1 50		
Liriope graminifolia (<i>Ophiopogon spicatus</i>), Purple-flow- ered Snake-beard field-grown	1 00	7 50	60 00
“ strong clumps	2 00		
Lysimachia nummularia , Moneywort	10	75	5 00
Miscanthus japonicus (<i>Eulalia japonica</i>) field-grown	75	5 00	
“ “ variegatus (<i>Eulalia japonica</i> <i>variegata</i>) field-grown	75	5 00	
“ “ sinensis (<i>Eulalia gracillima</i> <i>univittata</i>) field-grown	75	5 00	
Nelumbo nelumbo (<i>Nelumbium speciosum</i>), Indian Lotus strong roots	5 00		
Onoclea sensibilis , Sensitive Fern nursery-grown	1 00		
Pachysandra procumbens , Alleghany Mountain Spurge. field-grown	1 00	6 50	50 00
“ strong clumps	2 00		
“ terminalis , Japanese Spurge field-grown	1 00	6 50	50 00
“ strong clumps	2 00		
Pæony , Herbaceous, Single and Double Mixed . . 4-yr. seedlings tr.	1 50	12 00	
Phlox ovata , Mountain Phlox field-grown	45	4 00	
“ reptans , Crawling Phlox field-grown	25	2 00	12 50
“ subulata , Ground or Moss Pink field-grown	30	2 50	20 00
Phyllostachys aurea , Yellow Bamboo clumps, each, \$1.00			
“ kumasasa (<i>Bambusa viminalis</i>), Ruscus-leaved Bamboo clumps, each, 65			
“ mitis , Tall Bamboo clumps, each, 1.00			
Plumbago . See Ceratostigma .			
Porteranthus trifoliatu s (<i>Gillenia trifoliata</i>), Indian Physic or Bowman's Root field-grown	1 00	7 50	
Potentilla fruticosa . See Shrubs .			
“ tridentata , Three-toothed Cinquefoil . . . nursery-grown	25	2 00	
Rudebeckia laciniata , Tall or Green-headed Cone- flower field-grown	1 00		
Saxifraga crassifolia , Oval-leaved Saxifrage . . . nursery-grown	1 00		
Sedum pulchellum , Widow's Cross field-grown	50	4 00	
“ spectabile , Large-flowered Orpine field-grown	50	4 00	
Shortia galacifolia , Little Coltsfoot nursery-grown	2 00		
Tanacetum vulgare , Curly Tansy nursery-grown	40	3 00	20 00
Tradescantia montana , Spiderwort field-grown	25	2 00	15 00
Trillium grandiflorum , Large-flowered Wake-robin . . . field-grown	35	3 00	
“ stylosum , Wood Pink field-grown	50	4 00	
Vernonia noveboracensis , New York Ironweed field-grown	35	2 50	
Viola palmata , Early Blue Violet strong plants	25	2 00	15 00
“ pedata , Bird's foot Violet strong plants from pots	25	2 00	15 00
Yucca baccata , Spanish Bayonet 2 years tr.	1 00	7 50	
“ filamentosa , Adam's Needle tr.	75	2 50	17 50